


# Starfloor Click Collections

LUXURY VINYL TILES

Best,  
hassle-free,  
modular  
and stylish  
floors

# TARKETT HUMAN CONSCIOUS DESIGN®

Household behaviors have significantly changed. Today, more than ever, people are focused on the quality of their interiors, since they tend to spend more time at and work from home.



People are looking for healthier and more modular spaces, where they feel relaxed and comfortable. They need a place where each family member can enjoy their own personal space. This is why, at Tarkett, we strive to contribute to people's health and well-being, by improving indoor air quality and comfort. Thanks to our **Human-Conscious Design®** – our commitment to stand with present and future generations – we create spaces that are good for people and the planet.


Every day we intend to:

- Further deepen our human understanding
- Make conscious choices for people and the planet
- Accompany you, every step of the way

HIGHLAND OAK - LIGHT NATURAL  
 STARFLOOR CLICK SOLID 30 - 36026001  
 STARFLOOR CLICK SOLID 55 - 36020001  
 STARFLOOR CLICK ULTIMATE 55 - 35992020



STARFLOOR CLICK SOLID 55  
 PATINA ASH - WARM NATURAL - 36021160



STARFLOOR CLICK SOLID 55  
 VENEZO - FRESH - 36022001



STARFLOOR CLICK SOLID 55  
 LUNI - WHITE - 36023001



STARFLOOR CLICK SOLID 30  
 MEDINA - NAVY - 36027213  
 PATCHWORK - BROWN - 36027209




STARFLOOR CLICK SOLID 55  
 VALENCIA - ANTHRACITE - 36022002




STARFLOOR CLICK SOLID 30  
 YUKON OAK NATURAL - 36025204

# CONSCIOUS CHOICES. FOR PEOPLE AND THE PLANET

When it comes to people and the planet, we don't consider one without thinking about the other. At Tarkett, we aim to positively impact the daily life of families, helping them make the right choice for their home environment. This means surpassing indoor air quality standards, instituting health material norms, reducing our carbon footprint and recycling our floors at the end of their lifecycle.



STARFLOOR CLICK SOLID 30  
SEASON OAK - LIGHT BROWN 36025201



STARFLOOR CLICK SOLID 30  
LIMOUSIN OAK - NATURAL - 36025206



STARFLOOR CLICK SOLID 30  
BRUSHED PINE - WHITE - 36025016


## CLIMATE & CIRCULAR ECONOMY

Challenging climate change and resource scarcity requires a long-term commitment to circular economy. This is why, at Tarkett, we eco-design our products to maximize the recycled content and allow for end-of-life recycling. The Starfloor Click collections are glue-free and can be easily removed and recycled post-use. The collections are also part of Tarkett's Circular Selection, a collection of floors that are recyclable at the end of their useful life.



## GOOD MATERIALS

We make sure to provide you and your family with the best materials, so that you can enjoy peace of mind knowing that you are making a sustainable choice when using our products. This is also why we provide you with the Material Health Statement (MHS), a material scoring passport based on a colour-coded rating, offering complete transparency on the composition of our products and their impact on health.



## HEALTH AND WELL-BEING

Since the air you breathe is so important to your health, we design vinyl floors that contribute to better indoor air quality, thanks to ultra low emissions of volatile components in the air. The Starfloor click collections contain low formaldehyde, hence minimal risk of eyes, nose and throat irritation.






























TARKETT HUMAN-CONSCIOUS DESIGN®

# LUXURY VINYL TILES COLLECTION

The Tarkett Luxury Vinyl Tiles collection has four different multilayered ranges, each one with its own unique features. All ranges are resilient, durable, practical and easy to clean and install.

You can renovate your entire home or just one room, with all the furniture still in place. You can even install the flooring directly on your existing subfloor.

<b>BENEFITS</b>  <b>COLLECTIONS</b>	 <b>DESIGNS</b>	 <b>WEAR LAYER</b>	 <b>RESISTANCE</b>	 <b>CLASS OF USE</b>	 <b>INSTALLATION OVER CERAMICS</b>	 <b>THICKNESS</b>	 <b>DIMENSIONAL STABILITY</b>	 <b>ACOUSTIC</b>	 <b>WITHSTANDS WATER*</b>	 <b>EASY TO CLEAN</b>	 <b>INDOOR AIR QUALITY</b>	 <b>PHTHALATE FREE</b>	 <b>PRICE</b>
<b>Starfloor Click Solid 30</b>	30	0,30mm			 Joints up to 4 mm wide & 2mm deep	5mm	Solid technology From 10 to 45°C	5dB			Ultra Low VOC		€
<b>Starfloor Click Solid 55</b>	30	0,55mm					RCC technology From 10°C to 50°C	18dB					€ €
<b>Starfloor Click Ultimate 30</b>	18	0,30mm			 Joints up to 6mm wide & 3mm deep		RCC technology From 10°C to 60°C	19dB			Low VOC		€ € €
<b>Starfloor Click Ultimate 55</b>	21	0,55mm			 Joints up to 8mm wide & 3mm deep	6,5mm							€ € €

\*Following Tarkett's installation instructions

# ROOMS RECOMMENDED

Each collection has specific technical characteristics and offers unique benefits. Based on your unique style, technical needs and budget we can recommend the collection that best suits your personal home design project.




COLLECTIONS & BENEFITS	STARFLOOR CLICK SOLID 30	STARFLOOR CLICK SOLID 55	STARFLOOR CLICK ULTIMATE 30	STARFLOOR CLICK ULTIMATE 55
<b>ROOMS</b>				
Bedroom	✓	✓	✓	✓
Children room	✓	✓	✓	✓
Home office	✓	✓	✓	✓
Entrance/hallway		✓		✓
Living room		✓		✓
Kitchen		✓	✓	✓
Bathroom			✓	✓

# EASY TO CLEAN, MEANS EASY TO MAINTAIN

Today, people spend more time indoors with the development of home office and homeschooling. As a result, they are more concerned with having a clean home. This is why it has become even more important to use materials that are simple, fast and easy to maintain. All our vinyl floors are coated with a best-in-class surface treatment that makes them resistant to scratches or stains, and need little water for cleaning. Plus, this range is affordable when on a budget.




When applied regularly, these tips will help keep your floor looking as good as the day you laid it.



Daily: Wipe or vacuum.




Once a week (or more often): Wipe the floor with a damp mop or a cloth moistened with warm water and a neutral detergent.



Whenever necessary: Remove dust with a broom or vacuum cleaner to avoid dust and dirt build-up.



ENGLISH OAK - BEIGE  
STARFLOOR CLICK SOLID 30 - 36025024  
STARFLOOR CLICK SOLID 55 - 36021024



STARFLOOR CLICK SOLID 30  
DENVER - ASHEN - 36027210



STARFLOOR CLICK ULTIMATE 30  
TARRAGONA - LIGHT - 36006015




HIGHLAND OAK - NATURAL  
STARFLOOR CLICK SOLID 30 - 36026002  
STARFLOOR CLICK SOLID 55 - 36020002  
STARFLOOR CLICK ULTIMATE 55 - 35992021



CONTEMPORARY OAK - NATURAL  
STARFLOOR CLICK SOLID 30 - 36025111  
STARFLOOR CLICK SOLID 55 - 36024111



STARFLOOR CLICK ULTIMATE 55  
BOHEMIAN PINE - WHITE - 35991010




STARFLOOR CLICK SOLID 30  
MEDINA - NAVY - 36027213

# STARFLOOR CLICK SOLID 30/30PLUS - 55/55PLUS


## Modular, resistant and stylish floors

Looking for a durable flooring that is environmentally friendly and that fits your budget? Starfloor Click Solid is the right collection for your interior design project.


Its best-in-class surface treatment ensures an impeccable and long-lasting finish, while enabling optimal cleaning performance, making it the right choice for any room.



### DESIGNS



The entire range of designs, from stone to wood effects, creates a timeless and natural interior. All décors can be mixed and matched to create flexible and modular spaces.



### INSTALLATION



This collection has a push-down click system that enables an easy and fast installation with only a few tools. It's the perfect solution for a quick renovation.



### EXTRA MATT FINISH

For a remarkable realistic and sleek rendering, reinforcing the authentic beauty of any room.



Simple and easy installation for tightly joined planks and tiles.




### PLUS EFFECT

Natural effects and textures are engraved onto your planks to recreate the material's organic feel.




Can be installed over ceramics, with joints up to 4mm and 2mm depth.



### NO REPEAT DESIGN

Using digital printing to mimic raw materials and offer a high definition rendering with no repetition, up to 12 m<sup>2</sup> (available in a few Starfloor Click Solid 55 floorings).

- ① Reinforced Polyurethane Treatment Layer: Simple and easy to maintain
- ② Transparent wear layer: High durability
- ③ Printed design layer: Many design possibilities
- ④ PVC Core layer: Dimensional stability and resistance
- ⑤ Push-down click system: Easy installation



### RESISTANCE



Made to resist stains, scratches, temperature oscillations and other small encounters with daily life.



### HUMAN CONSCIOUS



We do our best to create floorings that contribute to your well-being and a healthier indoor space, so you can feel outdoor air quality, in your home.



This vinyl collection is now more rigid, resulting in an extra solid flooring.



Solid technology provides good dimensional stability and easy installation, in any room where there are no extreme variations in temperature.\* Can be installed on heated floors.



Up to 20-year guarantee\*\*.



We want to preserve the planet for the next generation, so we limit our carbon emissions by reducing our transportation footprint. The collection is now 100% insourced.



RECYCLABLE



Up to 35% RECYCLED CONTENT



Restart Ready



CIRCULAR SELECTION



PTHALATE FREE



Up to ≤ 10 µg/m<sup>3</sup> OPTIMAL INDOOR AIR QUALITY



LOW FORMALDEHYDE EMISSIONS



EMISSIONS DANS L'AIR INTERIEUR: A+

\*Provided that Tarkett installation instructions are fully complied with.  
\*\* 15 years for Starfloor Click Solid 30.



STARFLOOR CLICK SOLID 30  
DELICATE OAK CHESTNUT - 36026005  
DENVER ASHEN - 36027210

# STARFLOOR CLICK SOLID 30/30PLUS - 55/55PLUS

## STONE EFFECT

**Venezo** 60,1 x 32,38 cm




**Fresh**  
SFC Solid 55: 36022001, Skirting: 26646143

**Luni** 49,05 x 99,1 cm



**White**  
SFC Solid 55: 36023001, Skirting: 26646143

**Composite** 60,1 x 32,38 cm



**Black**  
**NEW** SFC Solid 30: 36027074, Skirting: 26646134  
SFC Solid 55: 36022074, Skirting: 26646134



**Cool Grey**  
SFC Solid 55: 36022073, Skirting: 26646014

**Vintage Zinc** 60,1 x 32,38 cm



**Silver**  
SFC Solid 55: 36022096, Skirting: 26646002



**Black**  
SFC Solid 55: 36022094, Skirting: 26646003

**Denver** 60,1 x 32,38 cm



**Ashen**  
**NEW** SFC Solid 30: 36027210, Skirting: 26646197

## CEMENT TILES

**Valencia** 60,1 x 32,38 cm



**Anthracite**  
SFC Solid 55: 36022002, Skirting: 26646145

**Medina** 60,1 x 32,38 cm



**Grey**  
**NEW** SFC Solid 30: 36027211, Skirting: 26646198



**Kaki Blue**  
**NEW** SFC Solid 30: 36027212, Skirting: 26646199



**Navy**  
**NEW** SFC Solid 30: 36027213, Skirting: 26646200

## SMOOTH WOOD EFFECT

**Patina Ash** 121,1 x 19,05 cm



**Warm Natural**  
SFC Solid 55: 36021160, Skirting: 26646185

**Antik Oak** 149,1 x 24,05 cm



**White**  
SFC Solid 55: 36024133, Skirting: 26646126



**Anthracite**  
SFC Solid 55: 36024007, Skirting: 26646125

**Modern Oak** 121,1 x 19,05 cm



**Beige**  
SFC Solid 55: 36021145, Skirting: 26646130



**White**  
SFC Solid 55: 36021144, Skirting: 26646129



**Classical**  
**NEW** SFC Solid 30: 36025146, Skirting: 26646131  
SFC Solid 55: 36021146, Skirting: 26646131

**Highland Oak** 121,1 x 19,05 cm



**Light Natural**  
**NEW** SFC Solid 30: 36026001, Skirting: 26646135  
SFC Solid 55: 36020001, Skirting: 26646135



**Natural**  
**NEW** SFC Solid 30: 36026002, Skirting: 26646136  
SFC Solid 55: 36020002, Skirting: 26646136



**Taupe**  
**NEW** SFC Solid 30: 36026003, Skirting: 26646137  
SFC Solid 55: 36020003, Skirting: 26646137

**Scandinavian Oak** 121,1 x 19,05 cm



**Light Beige**  
**NEW** SFC Solid 30: 36025100, Skirting: 26646132  
SFC Solid 55: 36021100, Skirting: 26646132



**Medium Beige**  
SFC Solid 55: 36021101, Skirting: 26646017



**Medium Grey**  
**NEW** SFC Solid 30: 36025104, Skirting: 26646015  
SFC Solid 55: 36021104, Skirting: 26646015



**Dark Grey**  
SFC Solid 55: 36021105, Skirting: 26646016

**Contemporary Oak** 121,1 x 19,05 cm (SFC Solid 30)  
149,1 x 24,05 cm (SFC Solid 55)



**Natural**  
**NEW** SFC Solid 30: 36025111, Skirting: 26646020  
SFC Solid 55: 36024111, Skirting: 26646020




**Brown**  
**NEW** SFC Solid 30: 36025112, Skirting: 26646133  
SFC Solid 55: 36024112, Skirting: 26646133

## KNOTTED WOOD EFFECT

**English Oak** 121,1 x 19,05 cm



**Light Beige**  
SFC Solid 55: 36021028, Skirting: 26646128



**Beige**  
**NEW** SFC Solid 30: 36025024, Skirting: 26646127  
SFC Solid 55: 36021024, Skirting: 26646127



**Grey Beige**  
SFC Solid 55: 36021029, Skirting: 26646012



**Natural**  
**NEW** SFC Solid 30: 36025027, Skirting: 26646011  
SFC Solid 55: 36021027, Skirting: 26646011

**Alpine Oak** 121,1 x 19,05 cm



**Warm Natural**  
SFC Solid 55: 36021180, Skirting: 26646186

**Limousin Oak** 121,1 x 19,05 cm



**Natural**  
**NEW** SFC Solid 30: 36025206, Skirting: 26646193



**Grege**  
**NEW** SFC Solid 30: 36025207, Skirting: 26646137

**Delicate Oak** 121,1 x 19,05 cm



**Natural**  
**NEW** SFC Solid 30: 36026004, Skirting: 26646138  
SFC Solid 55: 36020004, Skirting: 26646138



**Chesnut**  
**NEW** SFC Solid 30: 36026005, Skirting: 26646139  
SFC Solid 55: 36020005, Skirting: 26646139



**Brown**  
**NEW** SFC Solid 30: 36026006, Skirting: 26646140  
SFC Solid 55: 36020006, Skirting: 26646140

**Season Oak** 121,1 x 19,05 cm



**Beige**  
**NEW** SFC Solid 30: 36025202, Skirting: 26646069



**Natural**  
**NEW** SFC Solid 30: 36025200, Skirting: 26646136



**Light Brown**  
**NEW** SFC Solid 30: 36025201, Skirting: 35949039\*

\*L2020 x H80 mm /5



# VENEZO



Terrazzo is now everywhere! We see it on the floors and ceilings, and all types of accessories. It can be playful, somber or rustic and can be found anywhere in the house. This look has been carefully designed to create a simple and soft result. Its multicoloured surface can be paired with any other flooring.



VENEZO  
Fresh

**FRESH**  
Starfloor Click Solid 55: 36022001, Skirting: 26646143



**EXTREME**  
PROTECTION



**20** years  
GUARANTEE  
RESIDENTIAL  
USE

**10** years  
GUARANTEE  
COMMERCIAL  
USE





4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ

Dimensions:  
32,38 x 60,1 cm

5 mm

**VENEZO**  
FRESH  
Starfloor Click Solid 55 : 36022001



Scale 1:6

# LUNI



Marble is back and trendier than ever. A delicate, rare and elegant material, that is no longer found only in luxurious hotels or museums, but can also be found in your interior. It is the future star of your home!



LUNI  
White

**WHITE**  
Starfloor Click Solid 55: 36023001, Skirting: 26646144



**EXTREME  
PROTECTION**



**20 years  
GUARANTEE  
RESIDENTIAL  
USE**

**10 years  
GUARANTEE  
COMMERCIAL  
USE**



4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ

Dimensions:  
49,05 x 99,1 cm

5 mm

**LUNI  
WHITE**  
Starfloor Click Solid 55: 36023001



Scale 1:6

STARFLOOR CLICK SOLID COLLECTIONS

# COMPOSITE

Perfect for minimalistic and industrial interiors, the small scratches and cracks make this décor look very natural and blend well with wood or metals.



COMPOSITE  
Cool Grey



COMPOSITE  
BLACK  
Starfloor Click Solid 30: 36027074 **NEW**  
Starfloor Click Solid 55: 36022074

Scale 1:2

Scale 1:6



COMPOSITE  
COOL GREY  
Starfloor Click Solid 55: 36022073

Scale 1:2

Scale 1:6

BLACK  
**NEW** Starfloor Click Solid 30: 36027074, Skirting: 26646134  
Starfloor Click Solid 55: 36022074, Skirting: 26646134



COOL GREY  
Starfloor Click Solid 55: 36022073, Skirting: 26646014



Dimensions:  
32,38 x 60,1 cm



4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ

# VINTAGE ZINC

## ZINC

This classic metal design adds a vintage look to every space. The colours are inspired by the natural patina of metals, with marks of wear and tear.



VINTAGE ZINC  
Black

VINTAGE ZINC  
BLACK  
Starfloor Click Solid 55: 36022094

Scale 1:2



Scale 1:6

VINTAGE ZINC  
SILVER  
Starfloor Click Solid 55: 36022096

Scale 1:2



Scale 1:6

**BLACK**  
Starfloor Click Solid 55: 36022094, Skirting: 26646003



**SILVER**  
Starfloor Click Solid 55: 36022096, Skirting: 26646002



EXTREME  
PROTECTION



20 years  
GUARANTEE  
RESIDENTIAL  
USE

10 years  
GUARANTEE  
COMMERCIAL  
USE



4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ

Dimensions:  
32,38 x 60,1 cm

5 mm

# DENVER

A mix of stone and concrete – simple, modern and easy to combine with any colour or wooden furniture, creating a truly classic style.



DENVER  
Ashen

Non contractual picture



4 sided-bevel

Dimensions:  
32,38 x 60,1 cm  
5 mm

ASHEN  
Starfloor Click Solid 30: 36027210, Skirting: 26646197



DENVER  
ASHEN  
Starfloor Click Solid 30: 36027210



Scale 1:6

# VALENCIA



This floor covering was designed as an allover flooring, with an easy and random cut. A classic colour with tone-on-tone designs gives it a very balanced and homogenous look. The cement tile and random effect of the design, provides a nice finishing touch.



VALENCIA  
Natural

ANTHRACITE  
Starfloor Click Solid 55: 36022002, Skirting: 26646145



EXTREME  
PROTECTION



20 years  
GUARANTEE  
RESIDENTIAL  
USE

10 years  
GUARANTEE  
COMMERCIAL  
USE



4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ

Dimensions:  
32,38 x 60,1 cm

5 mm

VALENCIA  
ANTHRACITE  
Starfloor Click Solid 55: 36022002



Scale 1:6

# MEDINA

Inspired by classic cement tiles, the Bohemian style of this flooring adds creativity and fun to any room.




MEDINA  
Navy

Non contractual picture



Dimensions:  
32,38 x 60,1 cm  
5 mm



**GREY**  
Starfloor Click Solid 30: 36027211, Skirting: 26646198



**KHAKI BLUE**  
Starfloor Click Solid 30: 36027212, Skirting: 26646199



**NAVY**  
Starfloor Click Solid 30: 36027213, Skirting: 26646200





# PATINA ASH

As a perfect example of a soothing, linear wood structure this design comes without any knots, creating a very subtle and calm ambiance for all living spaces. It can be paired with any other design, because of its sleek and smooth appearance.



PATINA ASH  
Warm Natural

**WARM NATURAL**  
Starfloor Click Solid 55: 36021160, Skirting: 26646185



**EXTREME PROTECTION**



**20 years GUARANTEE RESIDENTIAL USE**

**10 years GUARANTEE COMMERCIAL USE**



4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ

Dimensions:  
19,05 x 121,1 cm

5 mm

**PATINA ASH**  
WARM NATURAL  
Starfloor Click Solid 55: 36021160



Scale 1:6

# ANTIK OAK

Vintage but modern, this design follows a trend of repurposing past materials into classic-modern ones. Subtle saw marks underline this traditional oak pattern, creating a timeless ambiance.



ANTIK OAK  
White

**WHITE**  
Starfloor Click Solid 55: 36024133, Skirting: 26646126



**ANTHRACITE**  
Starfloor Click Solid 55: 36024007, Skirting: 26646125



Dimensions:  
24,05 x 149,1 cm  
5 mm

**EXTREME  
PROTECTION**



**20 years  
GUARANTEE  
RESIDENTIAL  
USE**

**10 years  
GUARANTEE  
COMMERCIAL  
USE**



4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ

**ANTIK OAK  
WHITE**  
Starfloor Click Solid 55 : 36024133

Scale 1:2



Scale 1:6



**ANTIK OAK  
ANTHRACITE**  
Starfloor Click Solid 55 : 36024007

Scale 1:2




Scale 1:6



# MODERN OAK

This classic pattern is as continuous as its colour range. The natural surface structure provides an organic feel and touch, creating a peaceful interior that perfectly matches any lifestyle.



MODERN OAK  
Beige



SFC Solid 55 SFC Solid 30 SFC Solid 30/55

Dimensions:  
19,05 x 121,1 cm  
5 mm



4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ

**WHITE**  
Starfloor Click Solid 55: 36021144, Skirting: 26646129



**CLASSICAL**  
**NEW** Starfloor Click Solid 30: 36025146, Skirting: 26646131  
Starfloor Click Solid 55: 36021146, Skirting: 26646131



**BEIGE**  
Starfloor Click Solid 55: 36021145, Skirting: 26646130



**MODERN OAK**  
**WHITE**  
Starfloor Click Solid 55: 36021144



**MODERN OAK**  
**CLASSICAL**  
Starfloor Click Solid 30: 36025146 **NEW**  
Starfloor Click Solid 55: 36021146



**MODERN OAK**  
**BEIGE**  
Starfloor Click Solid 55: 36021145



# HIGHLAND OAK

This is our most contemporary wood with soft lines, subtle knots and a white oil finish. It comes in three neutral colours that match any existing décor or can be a great base for a new interior design project.

Colours can be easily combined with Starfloor Click Ultimate 55.



HIGHLAND OAK  
Natural



SFC Solid 55 SFC Solid 30 SFC Solid 30/55

Dimensions:  
19,05 x 121,1 cm  
5 mm



## LIGHT NATURAL

**NEW** Starfloor Click Solid 30PLUS: 36026001, Skirting: 26646135  
Starfloor Click Solid 55PLUS: 36020001, Skirting: 26646135



## NATURAL

**NEW** Starfloor Click Solid 30PLUS: 36026002, Skirting: 26646136  
Starfloor Click Solid 55PLUS: 36020002, Skirting: 26646136



## TAUPE

**NEW** Starfloor Click Solid 30PLUS: 36026003, Skirting: 26646137  
Starfloor Click Solid 55PLUS: 36020003, Skirting: 26646137



**HIGHLAND OAK**  
LIGHT NATURAL

Starfloor Click Solid 30PLUS: 36026001 **NEW**  
Starfloor Click Solid 55PLUS: 36020001



Scale 1:6

**HIGHLAND OAK**  
TAUPE

Starfloor Click Solid 30PLUS: 36026003 **NEW**  
Starfloor Click Solid 55PLUS: 36020003



Scale 1:6

**HIGHLAND OAK**  
NATURAL

Starfloor Click Solid 30PLUS: 36026002 **NEW**  
Starfloor Click Solid 55PLUS: 36020002



Scale 1:6



# SCANDINAVIAN OAK

This flooring, with its wide grains, touch of white oiling and colour range of warm beige and cold grey shades, represents a minimalistic Nordic interior.



SCANDINAVIAN OAK  
Medium Beige



SFC Solid 55 SFC Solid 30 SFC Solid 30/55

Dimensions:  
19,05 x 121,1 cm  
5 mm



4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ

## MEDIUM GREY

**NEW** Starfloor Click Solid 30: 36025104, Skirting: 26646015  
Starfloor Click Solid 55: 36021104, Skirting: 26646015



## DARK GREY

Starfloor Click Solid 55: 36021105, Skirting: 26646016



## LIGHT BEIGE

**NEW** Starfloor Click Solid 30: 36025100, Skirting: 26646132  
Starfloor Click Solid 55: 36021100, Skirting: 26646132



## MEDIUM BEIGE

Starfloor Click Solid 55: 36021101, Skirting: 26646017



**SCANDINAVIAN OAK**  
MEDIUM GREY  
Starfloor Click Solid 30: 36025104 **NEW**  
Starfloor Click Solid 55: 36021104

Scale 1:2



Scale 1:6

**SCANDINAVIAN OAK**  
LIGHT BEIGE  
Starfloor Click Solid 30: 36025100 **NEW**  
Starfloor Click Solid 55: 36021100

Scale 1:2



Scale 1:6

**SCANDINAVIAN OAK**  
DARK GREY  
Starfloor Click Solid 55: 36021105

Scale 1:2



Scale 1:6

**SCANDINAVIAN OAK**  
MEDIUM BEIGE  
Starfloor Click Solid 55: 36021101

Scale 1:2



Scale 1:6

# CONTEMPORARY OAK

Beautiful and balanced, this flooring is perfect for timeless interiors. With subtle gradients ranging from light to dark, this design creates lovely, soft, wave-like patterns. Small and subtle details complete this state-of-the-art design.



CONTEMPORARY OAK  
Natural

**BROWN**  
**NEW** Starfloor Click Solid 30: 36025112, Skirting: 26646133  
Starfloor Click Solid 55: 36024112, Skirting: 26646133



**NATURAL**  
**NEW** Starfloor Click Solid 30: 36025111, Skirting: 26646020  
Starfloor Click Solid 55: 36024111, Skirting: 26646020



**20** years  
GUARANTEE  
RESIDENTIAL  
USE  
SFC Solid 55

**15** years  
GUARANTEE  
RESIDENTIAL  
USE  
SFC Solid 30

**10** years  
GUARANTEE  
COMMERCIAL  
USE  
SFC Solid 30/55



4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ


Dimensions:  
19,05 x 121,1 cm  
(SFC Solid 30)

24,05 x 149,1 cm  
(SFC Solid 55)

5 mm

**CONTEMPORARY OAK**  
**BROWN**  
Starfloor Click Solid 30: 36025112 **NEW**  
Starfloor Click Solid 55: 36024112


Scale 1:2



Scale 1:6

**CONTEMPORARY OAK**  
**NATURAL**  
Starfloor Click Solid 30: 36025111 **NEW**  
Starfloor Click Solid 55: 36024111

Scale 1:2



Scale 1:6

# ENGLISH OAK

A noble oak pattern with a rustic touch, this flooring works very well with design codes around country living and the simplicity of raw ambiances.



ENGLISH OAK  
Natural



SFC Solid 55   SFC Solid 30   SFC Solid 30/55

Dimensions:  
19,05 x 121,1 cm  
5 mm

4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ

## BEIGE

**NEW** Starfloor Click Solid 30: 36025024, Skirting: 26646127  
Starfloor Click Solid 55: 36021024, Skirting: 26646127



## GREY BEIGE

Starfloor Click Solid 55: 36021029, Skirting: 26646012



## NATURAL

**NEW** Starfloor Click Solid 30: 36025027, Skirting: 26646011  
Starfloor Click Solid 55: 36021027, Skirting: 26646011



## LIGHT BEIGE

Starfloor Click Solid 55: 36021028, Skirting: 26646128



STARFLOOR CLICK SOLID COLLECTIONS


**ENGLISH OAK**

BEIGE

Starfloor Click Solid 30: 36025024 **NEW**

Starfloor Click Solid 55: 36021024

Scale 1:2



Scale 1:6

**ENGLISH OAK**

NATURAL

Starfloor Click Solid 30: 36025027 **NEW**

Starfloor Click Solid 55: 36021027

Scale 1:2




Scale 1:6

**ENGLISH OAK**

GREY BEIGE

Starfloor Click Solid 55: 36021029

Scale 1:2



Scale 1:6

**ENGLISH OAK**

LIGHT BEIGE

Starfloor Click Solid 55: 36021028

Scale 1:2



Scale 1:6

# ALPINE OAK

A carefully selected rustic yet classic oak, with tiny cracks and well balanced knots, this flooring goes very well with mineral designs that have a rustic or contemporary look.



ALPINE OAK  
Warm Natural

**WARM NATURAL**  
Starfloor Click Solid 55: 36021180, Skirting: 26646186



Dimensions:  
19,05 x 121,1 cm

5 mm

**EXTREME**  
**PROTECTION**



**20** years  
GUARANTEE  
RESIDENTIAL  
USE

**10** years  
GUARANTEE  
COMMERCIAL  
USE



4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ

**ALPINE OAK**  
**WARM NATURAL**  
Starfloor Click Solid 55: 36021180



Scale 1:6

# LIMOUSIN OAK

This wood shows us that nature is the ultimate designer. It is a modern and classic flooring that is refined and elegant, with distinctive patterns known as cathedrals.



LIMOUSIN OAK  
Natural

**NATURAL**  
Starfloor Click Solid 30: 36025206, Skirting: 26646193



**GREGE**  
Starfloor Click Solid 30: 36025207, Skirting: 26646137



**EXTREME  
PROTECTION**



**15 years  
GUARANTEE  
RESIDENTIAL  
USE**

**10 years  
GUARANTEE  
COMMERCIAL  
USE**



4 sided-bevel

Dimensions:  
19,05 x 121,1 cm  
5 mm

**LIMOUSIN OAK  
NATURAL**  
Starfloor Click Solid 30 : 36025206

Scale 1:2

NEW




Scale 1:6



**LIMOUSIN OAK  
GREGE**  
Starfloor Click Solid 30 : 36025207

Scale 1:2

NEW




Scale 1:6



# DELICATE OAK

A redefined country wood, that is comfortable and cozy. It meets the different styles of any interior, from rustic to modern décors.

Colours can be easily combined with Starfloor Click Ultimate 55.



DELICATE OAK  
Brown



SFC Solid 55   SFC Solid 30   SFC Solid 30/55

Dimensions:  
19,05 x 121,1 cm  
5 mm



4 sided-bevel  
Starfloor Click  
Solid 55:  
0V & 2V available  
with MOQ

## NATURAL

**NEW** Starfloor Click Solid 30PLUS: 36026004, Skirting: 26646138  
Starfloor Click Solid 55PLUS: 36020004, Skirting: 26646138



## CHESNUT

**NEW** Starfloor Click Solid 30PLUS: 36026005, Skirting: 26646139  
Starfloor Click Solid 55PLUS: 36020005, Skirting: 26646139



## BROWN

**NEW** Starfloor Click Solid 30PLUS: 36026006, Skirting: 26646140  
Starfloor Click Solid 55PLUS: 36020006, Skirting: 26646140




**DELICATE OAK**

NATURAL

Starfloor Click Solid 30PLUS: 36026004 **NEW**

Starfloor Click Solid 55PLUS: 36020004



Scale 1:6

**DELICATE OAK**

CHESNUT

Starfloor Click Solid 30PLUS: 36026005 **NEW**

Starfloor Click Solid 55PLUS: 36020005



Scale 1:6

**DELICATE OAK**

BROWN

Starfloor Click Solid 30PLUS: 36026006 **NEW**

Starfloor Click Solid 55PLUS: 36020006




Scale 1:6



# SEASON OAK

A soft and balanced wood that creates a warm atmosphere, creating a traditional and timeless look.



SEASON OAK  
Beige

**EXTREME**  
PROTECTION



**15** years  
GUARANTEE  
RESIDENTIAL  
USE

**10** years  
GUARANTEE  
COMMERCIAL  
USE

Dimensions:  
19,05 x 121,1 cm

5 mm 



4 sided-bevel

## NATURAL

Starfloor Click Solid 30: 36025200, Skirting: 26646136



## LIGHT BROWN

Starfloor Click Solid 30: 36025201,  
Skirting: 35949039 (L2020 x H80 mm /5)



## BEIGE

Starfloor Click Solid 30: 36025202, Skirting: 26646069



**SEASON OAK**  
NATURAL  
Starfloor Click Solid 30: 36025200



Scale 1:6

**SEASON OAK**  
LIGHT BROWN  
Starfloor Click Solid 30: 36025201



Scale 1:6

**SEASON OAK**  
BEIGE  
Starfloor Click Solid 30: 36025202



Scale 1:6

# BRUSHED PINE

Signs of usage and sun-bleached spots are part of the charm of this design, creating a décor like a garden picnic. Light colours, inspired from a Nordic summer, complete this welcoming ambiance.



BRUSHED PINE  
White

**WHITE**  
Starfloor Click Solid 30: 36025016, Skirting: 26646201



**GREY**  
Starfloor Click Solid 30: 36025014, Skirting: 26646005



**EXTREME  
PROTECTION**



**15 years  
GUARANTEE  
RESIDENTIAL  
USE**

**10 years  
GUARANTEE  
COMMERCIAL  
USE**



4 sided-bevel

Dimensions:  
19,05 x 121,1 cm  
5 mm

**BRUSHED PINE  
WHITE**  
Starfloor Click Solid 30 : 36025016

Scale 1:2

NEW




Scale 1:6



**BRUSHED PINE  
GREY**  
Starfloor Click Solid 30 : 36025014

Scale 1:2

NEW



Scale 1:6



STARFLOOR CLICK SOLID COLLECTIONS

# PATCHWORK

Thanks to the format of the planks and to the mix of materials and sizes, this unique flooring offers new design possibilities.



PATCHWORK  
White

**WHITE**  
Starfloor Click Solid 30 : 36027208, Skirting : 26646195



**BROWN**  
Starfloor Click Solid 30 : 36027209, Skirting : 26646196



Dimensions:  
60,1 x 32,38 cm  
5 mm

**EXTREME**  
PROTECTION




**15**  
years  
GUARANTEE  
RESIDENTIAL  
USE

**10**  
years  
GUARANTEE  
COMMERCIAL  
USE



4 sided-bevel



**PATCHWORK**  
**WHITE**  
Starfloor Click Solid 30 : 36027208

Scale 1:6

Scale 1:2

NEW



**PATCHWORK**  
**BROWN**  
Starfloor Click Solid 30 : 36027209

Scale 1:6

Scale 1:2

NEW



# YUKON OAK

As authentic as nature, this design brings out the best of a used wood – the cracks, worn paint and saw marks.



YUKON OAK  
Dark Grey



Dimensions:  
19,05 x 121,1 cm

5 mm 



4 sided-bevel

## NATURAL

Starfloor Click Solid 30 : 36025204, Skirting : 26646191



## LIGHT GREY

Starfloor Click Solid 30 : 36025205, Skirting : 26646192



## DARK GREY

Starfloor Click Solid 30 : 36025203, Skirting : 26646190



**YUKON OAK**  
NATURAL  
Starfloor Click Solid 30 : 36025204



Scale 1:6

**YUKON OAK**  
LIGHT GREY  
Starfloor Click Solid 30 : 36025205



Scale 1:6

**YUKON OAK**  
DARK GREY  
Starfloor Click Solid 30 : 36026203



Scale 1:6

# TECHNICAL DATASHEET STARFLOOR CLICK SOLID 30 & 30PLUS

CLASSIFICATION	NORM	TARKETT VALUE
Product type	EN ISO 10582	Heterogeneous poly(vinyl chloride) floor coverings
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	31 Moderate
TECHNICAL CHARACTERISTICS		
Total thickness	EN ISO 24346	5 mm
Wear layer thickness	EN ISO 24340	0,30 mm
Total weight	EN ISO 23997	8900 g/m <sup>2</sup>
Binder content	EN ISO 10582	Type I
Surface treatment	-	Topcoat
Embossing in Register	-	Yes
Bevelled edges	-	4 sides micro bevels
Installation method	-	Click
PERFORMANCE FOR CE MARKING		
Declaration of Performance #	EN 14041	0197-0012-DOP-2021-06
TECHNICAL PERFORMANCE		
Dimensional stability average measured value	EN ISO 23999	≤ 0,15 %
Dimensional stability average value	EN ISO 23999	≤ 0,10 %
Curl resultant to heat	EN ISO 23999	≤  1  mm
Reaction to fire	EN 13501-1	Bfl-s1
Castor chair	EN ISO 4918	No damage
Impact sound reduction - ΔLw	EN ISO 717-2	5 dB
Residual indentation	EN ISO 24343-1	Required value: ≤ 0,10 mm
Reduction of in-room impact noise	NF S31-074	Class C (≤ 85 dB)
Thermal resistance	EN ISO 10456	0,05 m <sup>2</sup> ·K/W
Colour fastness to light	EN ISO 105-B02	≥ 6
Chemical resistance	EN ISO 26987	Good resistance
Slip resistance	DIN 51130	R10 / R9
	EN 13893	Class DS (μ ≥ 0,30)
Peeling Resistance	EN ISO 24345	≥ 50N / 50mm
Underfloor heating	-	Suitable (maximum 27°C)
SUSTAINABILITY PERFORMANCES		
Total VOC Emissions	EN 16516	Platinum (≤ 10 μg/m <sup>3</sup> )
Material Health Statement	-	Available
Recycled content	-	Up to 35 %
Recyclability through ReStart®	-	Recyclable
Phthalate - free	-	Yes
DIMENSIONS AND DESIGNS		
Plank	Plank 1211 x 190,5mm - 7 planks=1,61 m <sup>2</sup> /box - 56 boxes/pallet	
Tile	Tile 323,8 x 601 mm - 8 tiles=1,56 m <sup>2</sup> /box - 60 boxes/pallet	
Number of designs available	30	

Embossing in register: available only for Highland Oak and Delicate Oak / Slip Resistance R9: Highland Oak, Delicate Oak, Denver and Medina

The above information is subject to modification for the benefit of further improvement (07/02/2022). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.



# TECHNICAL DATASHEET STARFLOOR CLICK SOLID 55/55PLUS

CLASSIFICATION	NORM	TARKETT VALUE
Product type	EN ISO 10582	Heterogeneous poly(vinyl chloride) floor coverings
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	33 Heavy
TECHNICAL CHARACTERISTICS		
Total thickness	EN ISO 24346	5 mm
Wear layer thickness	EN ISO 24340	0,55 mm
Total weight	EN ISO 23997	8850 g/m <sup>2</sup>
Binder content	EN ISO 10582	Type I
Surface treatment	-	Topcoat
Embossing in Register	-	Yes
Bevelled edges	-	4 sides
Installation method	-	Click
PERFORMANCE FOR CE MARKING		
Declaration of Performance #	EN 14041	0197- 0010-DoP-2021-02
TECHNICAL PERFORMANCE		
Dimensional stability average measured value	EN ISO 23999	≤ 0,15 %
Dimensional stability average value	EN ISO 23999	≤ 0,10 %
Curl resultant to heat	EN ISO 23999	≤  1  mm
Reaction to fire	EN 13501-1	Bfl-s1
Castor chair	EN ISO 4918	No damage
Impact sound reduction - ΔLw	EN ISO 717-2	5 dB
Residual indentation	EN ISO 24343-1	Required value: ≤ 0,10 mm
Reduction of in-room impact noise	NF S31-074	Class C (≤ 85 dB)
Thermal resistance	EN ISO 10456	0,05 m <sup>2</sup> ·K/W
Colour fastness to light	EN ISO 105-B02	≥ 6
Chemical resistance	EN ISO 26987	Good
Slip resistance	DIN 51130	R10 / R9
	EN 13893	Class DS (μ ≥ 0,30)
Peeling Resistance	EN ISO 24345	≥ 50N / 50mm
Underfloor heating	-	Suitable (maximum 27°C)
SUSTAINABILITY PERFORMANCES		
Total VOC Emissions	EN 16516	Platinum (≤ 10 μg/m <sup>3</sup> )
Material Health Statement	-	Available
Recycled content	-	Up to 35 %
Recyclability through ReStart®	-	Recyclable
Phthalate - free	-	Yes
DIMENSIONS AND DESIGNS		
Plank	Plank 1211 x 190,5mm - 7 planks=1,61 m <sup>2</sup> /box - 56 boxes/pallet Plank 240,5 x 1491 mm - 4 planks=1,43 m <sup>2</sup> /box - 63 boxes/pallet	
Tile	Tile 323,8 x 601 mm - 8 tiles=1,56 m <sup>2</sup> /box - 60 boxes/pallet Tile 495 x 9910 mm - 3 tiles=1,46 m <sup>2</sup> /box - 62 boxes/pallet	
Number of designs available	30	

Embossing in register : Available only for Highland Oak and Delicate Oak / Slip resistance R10 : Highland Oak and Delicate Oak

The above information is subject to modification for the benefit of further improvement (22/12/2021). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.



# Accessories for STARFLOOR CLICK 30/30PLUS...

## UNDERLAYER - FAST-TRACK RENOVATION SYSTEMS



### TARKOMFORT PRO\*

- Powerful acoustic insulation, reducing both impact sound and in-room noise (13dB)
- Enhanced durability, thanks to its high-density, heavy-duty composition (1,500g per m<sup>2</sup>)
- Simple to install, with woven anti-slip surface for better grip
- **Material:** Siliconized PET carrier film, with high-resistance polyurethane layer and non-woven white fleece backing
- **Total weight:** 1,500g per m<sup>2</sup>
- **Total thickness:** 1.5mm
- **Article code:** 2499 2020
- **Compatible with:** LVT click (planks and tiles)
- **Size:** L10 x W1 m




## SKIRTINGS




### PVC DECORATIVE SKIRTING

- Compact skirting with decorative film and reinforced Polyurethane Treatment Layer.
- Perfectly matches all Starfloor Click Solid 30 and 55 designs.
- **Packaging:** 195cm x 6cm in packs of 5
- **Exception:** 35949039 (dimension 202x8x1 cm /5)



## STAIRS




### HIGH TRAFFIC ALUMINIUM STAIRNOSE

- To be screwed
- Very resistant to wear and traffic

L2500 x W40 x H5 mm /10

- Silver 1434 021
- Stainless steel 1434 022



### VERY HIGH TRAFFIC

- Ribbed surface, slip-resistant
- Elegant finish

- Silver 1434 021
- Stainless steel 1434 022

# ...and STARFLOOR CLICK SOLID 55/55PLUS

## TRANSITION PROFILES




### LUXURY VINYL TILES TRANSITION STRIP GENERAL TRAFFIC

Aluminium transition strip for LUXURY VINYL TILES Click & Loose-Lay used in general traffic areas.

- To be screwed.
- Elegant finish with smooth surface and no visual screws.
- Bendable with radius 60 cm.

- **Size:** 24 mm wide x 6 mm high x 2700 mm long
- **Packaging:** - full kit including top profiles and dowls.  
- 2,7lm - 10 units of 27 lm

- Silver 1451 021
- Stainless steel (NCS:S 6005-Y20R) 1451 022




### LUXURY VINYL TILES RAMP PROFILE HEAVY TRAFFIC

Aluminium ramp profile used in very heavy traffic areas for LUXURY VINYL TILES Click & Loose-Lay.

- To be screwed.

- **Size:** 38 mm wide x 5 or 7 mm high x 2700 mm long
- **Packaging:** - full kit including: Ramp profiles + Screws / Dowls diameter 5 mm.  
- 2,7lm - 10 units of 27 lm

- Silver 1454 011
- Stainless steel (NCS:S 6005-Y20R) 1454 012




### LUXURY VINYL TILES BENDABLE STOP PROFILE

- Aluminium stop profile to be screwed.
- Very resistant to wear & traffic
- Ribbed surface for slip-resistance
- Bendable with radius 80cm.

- **Size:** 30 mm wide x 5 mm high inside x 8 mm high outside 30 mm high x 2500 mm long
- **Packaging:** - full kit including stop profiles, screws and dowls.  
- 2,5lm - 10 units of 25 lm

- Silver 1456 011
- Stainless steel (NCS:S 6005-Y20R) 1456 012



\*Data are subject to changes during 2022/2023 – please check the website to get the most accurate data.

# STARFLOOR CLICK ULTIMATE 30 & 55


## The ultimate, all-proof flooring for all circumstances



### ULTIMATE RESISTANCE



Starfloor Click Ultimate is made to handle life's daily events, wherever they occur— bedrooms, bathrooms, living rooms, etc.



### ULTIMATE INSTALLATION



Starfloor Click Ultimate 30 and 55 can be installed step-by-step and directly over ceramic tiles. (With joints up to 6mm wide for Starfloor Click Ultimate 30 and up to 8mm for Starfloor Click Ultimate 55).



Stable and strong, thanks to its enhanced and improved Rigid-Core Construction (RCC) technology, which is more advanced than the Stone Plastic Composite (SPC) technology.



Easy and fast installation, thanks to the 3L TripleLock Click system – it simply clicks together.



Can cover over small bumps and wrinkles, commonly found in older or damaged floors, thanks to its rigid core.



No ripple or swell over time, holding its shape and size despite drastic changes in temperature (50°C for Starfloor Click Ultimate 30, 60°C for Starfloor Click Ultimate 55).



Resistant to water, cold or heat.



Up to 20-year guarantee, for Starfloor Click Ultimate 55

①

Ultimate pur surface treatment: Stain and scratch resistant

②

Transparent wear layer: Highly durable

③

High definition decorative print film layer: Many design possibilities

④



Rigid Composite Core (RCC) technology: Dimensional stability

⑤

Integrated acoustic backing: Acoustic insulation

⑥

The I4F triple lock click system: Easy click system



### ULTIMATE DESIGN



Starfloor Click Ultimate can help you express your creative flair. This range is an easy solution for renovating when you first move in.



Natural and neutral colours, drawn from real parquet and mineral floors.




Unique grain-effect surface captures the textures of the material that inspired it.



For the perfect combination, all the designs of a same collection can be easily mixed and matched in order to create zones in open spaces or connect décors between rooms.



### ULTIMATE ACOUSTICS



Our innovative, integrated acoustic backing reduces the sound of footsteps. So as your family walks around without making a sound, you can better concentrate when you work from home.



19dB acoustic insulation for Starfloor Click Ultimate 55.  
18dB acoustic insulation for Starfloor Click Ultimate 30.

# STARFLOOR CLICK ULTIMATE 30 COLLECTION

## GALLOWAY OAK

17,8 x 121,3 cm



**Grey Brown**  
36005011

**Warm Brown**  
36005012

**Medium Beige**  
36005013

## CASCADE OAK

17,8 x 121,3 cm



**Smoked**  
36005008

**Aged**  
36005009

**Shaded**  
36005010

## LIGURIA OAK

17,8 x 121,3 cm



**Nutmeg**  
36004006

**Vanilla**  
36004007

## LAKESIDE OAK

17,8 x 121,3 cm



**Lime Washed**  
36004003

**Grey Washed**  
36004004

**Light Washed**  
36004005

## VERMONT OAK

17,8 x 121,3 cm




**Light Beige**  
36004000

**Medium Grey**  
36004001

**Natural**  
36004002

## DURA

30 x 60 cm



**Medium**  
36006016

**Dark**  
36006017

## TARRAGONA

30 x 60 cm



**Dark**  
36006014

**Light**  
36006015



# GALLOWAY OAK

This design features a rustic look comprised of cracks and tonal variations, within each individual plank. The Plus Effect adds a unique grain-effect surface that reproduces the natural essence of wood, enhancing the realistic look and feel of the entire range.

**15**  
years  
GUARANTEE  
RESIDENTIAL  
USE



4 sided-bevel

Dimensions:  
17,8 x 121,3 cm

5 mm



GALLOWAY OAK  
Grey Brown

**GREY BROWN**  
36005011  
Skirting: 35949011



**WARM BROWN**  
36005012  
Skirting: 35949012



**MEDIUM BEIGE**  
36005013  
Skirting: 35949013



GALLOWAY OAK  
GREY BROWN  
36005011

Scale 1:2



Scale 1:6

GALLOWAY OAK  
WARM BROWN  
36005012

Scale 1:2



Scale 1:6

GALLOWAY OAK  
MEDIUM BEIGE  
36005013

Scale 1:2



Scale 1:6



# CASCADE OAK

If you're looking for variety and contrast, this flooring is the perfect choice. Thanks to the Plus Effect, an engraving technique that recreates wood's natural contours for enhanced realism, this design juxtaposes different shades in matching grains. All three design colours can be combined to create an even greater tonal variation.

**15** years  
GUARANTEE  
RESIDENTIAL  
USE

Dimensions:  
17,8 x 121,3 cm

5 mm



4 sided-bevel



CASCADE OAK  
Aged

**SMOKED**  
36005008  
Skirting: 35949008



**AGED**  
36005009  
Skirting: 35949009



**SHADED**  
36005010  
Skirting: 35949010



Cascade Oak decors have been designed with significant tonal variations for a more natural, untouched look. The colours will consequently differ from one plank to another within the same pack.


CASCADE OAK  
SMOKED  
36005008



Scale 1:6




CASCADE OAK  
AGED  
36005009



Scale 1:6



CASCADE OAK  
SHADED  
36005010



Scale 1:6



# LIGURIA OAK

This flooring has a harmonious texture with subtle grain patterns and minimal colour play. The balanced appearance of this wood evokes a feeling of calm.



LIGURIA OAK  
Nutmeg

**NUTMEG**  
36004006  
Skirting: 35949006



**VANILLA**  
36004007  
Skirting: 35949007




Dimensions:  
17,8 x 121,3 cm  
5 mm



4 sided-bevel

LIGURIA OAK  
NUTMEG  
36004006

Scale 1:2




Scale 1:6



LIGURIA OAK  
VANILLA  
36004007

Scale 1:2



Scale 1:6



# LAKESIDE OAK

This wide-grained wood with white pores, has washed and limed effects combined with delicate colours, creating a sense of serenity and a look that plays well in modern interiors.

Dimensions:  
17,8 x 121,3 cm

5 mm



15 years  
GUARANTEE  
RESIDENTIAL  
USE



4 sided-bevel



LAKESIDE OAK  
Grey Washed

**LIME WASHED**  
36004003  
Skirting: 35949003



**GREY WASHED**  
36004004  
Skirting: 35949004



**LIGHT WASHED**  
36004005  
Skirting: 35949005



LAKESIDE OAK  
LIME WASHED  
36004003

Scale 1:2



Scale 1:6

LAKESIDE OAK  
GREY WASHED  
36004004

Scale 1:2



Scale 1:6

LAKESIDE OAK  
LIGHT WASHED  
36004005

Scale 1:2



Scale 1:6

# VERMONT OAK

This design displays distinctive patterns, known as cathedrals, in its grain and has very few knots, bringing the warm, textured feel of a wood cabin to your home. The colour gradient at the edges points to the beauty of natural wood.

Dimensions:  
17,8 x 121,3 cm


5 mm



**15** years  
GUARANTEE  
RESIDENTIAL  
USE



4 sided-bevel



VERMONT OAK  
Light Beige

**LIGHT BEIGE**  
36004000  
Skirting: 35949000



**MEDIUM GREY**  
36004001  
Skirting: 35949001




**NATURAL**  
36004002  
Skirting: 35949002




**VERMONT OAK**  
NATURAL  
36004002



Scale 1:6




**VERMONT OAK**  
LIGHT BEIGE  
36004000



Scale 1:6



**VERMONT OAK**  
MEDIUM GREY  
36004001



Scale 1:6




# DURA

This flooring has a polished, concrete design with subtle patterns in two warm grey colours. The grey tones are matched to real cement and combine beautifully with natural oak shades.



DURA  
Medium

**MEDIUM**  
36006016  
Skirting: 35949016



**DARK**  
36006017  
Skirting: 35949017



Dimensions:  
30 x 60 cm

5 mm



4 sided-bevel

DURA  
MEDIUM  
36006016

Scale 1:2



Scale 1:6

DURA  
DARK  
36006017

Scale 1:2




Scale 1:6

# TARRAGONA

As a traditional terrazzo, finished with the look of overcast concrete, this timeless classic in cold grey colours transforms a centuries-old style of flooring into a contemporary design.




TARRAGONA  
Dark



TARRAGONA  
DARK  
36006014

Scale 1:2

Scale 1:6



TARRAGONA  
LIGHT  
36006015

Scale 1:2

Scale 1:6



**DARK**  
36006014  
Skirting: 35949014



**LIGHT**  
36006015  
Skirting: 35949015



4 sided-bevel

Dimensions:  
30 x 60 cm

5 mm



STARFLOOR CLICK ULTIMATE 30  
CASCADE OAK - AGED - 36005009

# TECHNICAL DATASHEET STARFLOOR CLICK ULTIMATE 30

CLASSIFICATION	NORM	TARKETT VALUE
Product type	EN ISO 10582	Heterogeneous poly(vinyl chloride) floor coverings
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	31 Moderate
TECHNICAL CHARACTERISTICS		
Total thickness	EN ISO 24346	5 mm
Wear layer thickness	EN ISO 24340	0,30 mm
Total weight	EN ISO 23997	8350 g/m <sup>2</sup>
Binder content	EN ISO 10582	Type I
Surface treatment	-	PUR Ultimate
Embossing in Register	-	Yes
Bevelled edges	-	4 sides micro bevels
Installation method	-	Click
PERFORMANCE FOR CE MARKING		
Declaration of Performance #	EN 14041	0132-0074-DoP-2019-06
TECHNICAL PERFORMANCE		
Dimensional stability average measured value	EN ISO 23999	≤ 0,15 %
Curl resultant to heat	EN ISO 23999	≤ 1  mm
Reaction to fire	EN 13501-1	Bfl-s1
Impact sound reduction - ΔLw	EN ISO 717-2	18 dB
Residual indentation	EN ISO 24343-1	≤ 0,10 mm
Furniture leg	EN ISO 16581	No damage
Reduction of in-room impact noise	NF S31-074	Class C (≤ 85 dB)
Thermal resistance	EN ISO 10456	0,05 m <sup>2</sup> ·K/W
Colour fastness to light	EN ISO 105-B02	≥ 6
Chemical resistance	EN ISO 26987	Good resistance
Slip resistance	DIN 51130	R9
	EN 13893	Class DS (μ ≥ 0,30)
Peeling Resistance	EN ISO 24345	≥ 50N / 50mm
Static Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Underfloor heating	-	Suitable (maximum 27°C)
SUSTAINABILITY PERFORMANCES		
Total VOC Emissions	EN 16516	Gold (≤ 100 μg / m <sup>3</sup> )
Recyclability through ReStart®	-	Recyclable
Phthalate - free	-	Yes
DIMENSIONS AND DESIGNS		
Plank	Plank 1213x178mm - 8 planks=1,727 m <sup>2</sup> /box - 60 boxes/pallet	
Tile	Tile 300 x 600 mm - 9 tiles=1,62 m <sup>2</sup> /box - 60 boxes/pallet	
Number of designs available	18	

Embossing in register : Available only for Galloway Oak and Cascade Oak

The above information is subject to modification for the benefit of further improvement (22/12/2021). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.



# STARFLOOR CLICK ULTIMATE 55 COLLECTION

## HIGHLAND OAK *Colours coordinated with Starfloor Click Solid Collections* 17,6 x 121,3 cm

	<b>Light Natural</b> 35992020
	<b>Natural</b> 35992021
	<b>Taupe</b> 35992022

## DELICATE OAK *Colours coordinated with Starfloor Click Solid Collections* 17,6 x 121,3 cm

	<b>Natural</b> 35992023
	<b>Chesnut</b> 35992024
	<b>Brown</b> 35992025

## WEATHERED OAK 17,6 x 121,3 cm

	<b>Natural</b> 35992007
	<b>Brown</b> 35992008
	<b>Anthracite</b> 35992009

## BLEACHED OAK 17,6 x 121,3 cm

	<b>Grege</b> 35992004
	<b>Brown</b> 35992006
	<b>Natural</b> 35992005


## STYLISH OAK 17,6 x 121,3 cm

	<b>White</b> 35992003
	<b>Beige</b> 35992002
	<b>Natural</b> 35992000
	<b>Grey</b> 35992001

## BOHEMIAN PINE 17,6 x 121,3 cm

	<b>White</b> 35991010
	<b>Grege</b> 35991011

## TIMELESS CONCRETE 30 x 60 cm OLD STONE 30 x 60 cm

	<b>Light Grey</b> 35993020		<b>Anthracite</b> 35993023
	<b>Anthracite</b> 35993021		



# HIGHLAND OAK

This is an elegant and contemporary wood, available in different, natural colours and hues that highlight its distinctive pattern, known as cathedrals. Its refined, delicate and timeless design makes it easy to pair with a concrete or stone flooring.

*Colours can be easily combined with the Starfloor Click Solid Collections.*



HIGHLAND OAK  
Natural

Dimensions:  
17,6 x 121,3 cm  
6,5 mm



20 years  
GUARANTEE  
RESIDENTIAL  
USE

10 years  
GUARANTEE  
COMMERCIAL  
USE



4 sided-bevel

**LIGHT NATURAL**  
35992020  
Skirting: 26646135



**NATURAL**  
35992021  
Skirting: 26646136



**TAUPE**  
35992022  
Skirting: 26646137



HIGHLAND OAK  
LIGHT NATURAL  
35992020

Scale 1:2



Scale 1:6

HIGHLAND OAK  
TAUPE  
35992022


Scale 1:2



Scale 1:6

HIGHLAND OAK  
NATURAL  
35992021

Scale 1:2



Scale 1:6

STARFLOOR CLICK ULTIMATE COLLECTION



# DELICATE OAK

A chic country wood, this flooring was chosen for its rustic and authentic traits. Its wood brings out your bohemian spirit that sometimes enjoys a touch of modernity. Its comfortable and cozy feel creates a cocoon-like atmosphere, where you can take a break and breathe.

*Colours can easily be combined with Starfloor Click Solid 55.*

Dimensions:  
17,6 x 121,3 cm

6,5 mm



**20** years  
GUARANTEE  
RESIDENTIAL  
USE

**10** years  
GUARANTEE  
COMMERCIAL  
USE



4 sided-bevel



DELICATE OAK  
Brown

**NATURAL**  
35992023  
Skirting: 26646138




**CHESNUT**  
35992024  
Skirting: 26646139



**BROWN**  
35992025  
Skirting: 26646140




DELICATE OAK  
NATURAL  
35992023



Scale 1:6

DELICATE OAK  
CHESNUT  
35992024



Scale 1:6

DELICATE OAK  
BROWN  
35992025



Scale 1:6



# WEATHERED OAK

This rustic and traditional oak creates a warm and inviting interior, thanks to its cracks and saw effects.



WEATHERED OAK  
Natural

Dimensions:  
17,6 x 121,3 cm  
6,5 mm



**20** years  
GUARANTEE  
RESIDENTIAL  
USE

**10** years  
GUARANTEE  
COMMERCIAL  
USE



4 sided-bevel

**NATURAL**  
35992007  
Skirting: 26646108




**BROWN**  
35992008  
Skirting: 26646109



**ANTHRACITE**  
35992009  
Skirting: 26646110




**WEATHERED OAK**  
BROWN  
35992008



Scale 1:6

**WEATHERED OAK**  
NATURAL  
35992007



Scale 1:6

**WEATHERED OAK**  
ANTHRACITE  
35992009



Scale 1:6



# BLEACHED OAK

This flooring is a trendy ceruse oak that is light and has a minimalistic style.

Dimensions:  
17,6 x 121,3 cm

6,5 mm



**20** years  
GUARANTEE  
RESIDENTIAL  
USE

**10** years  
GUARANTEE  
COMMERCIAL  
USE



4 sided-bevel



BLEACHED OAK  
Grege

**GREGE**  
35992004  
Skirting: 26646105




**BROWN**  
35992006  
Skirting: 26646107



**NATURAL**  
35992005  
Skirting: 26646106



BLEACHED OAK  
GREGE  
35992004



Scale 1:6

BLEACHED OAK  
BROWN  
35992006



Scale 1:6

BLEACHED OAK  
NATURAL  
35992005



Scale 1:6



# STYLISH OAK

A classic and elegant oak with a natural colour play that seamlessly matches with bold and rich colours. When installed, this oak reveals linear structures.

Dimensions:  
17,6 x 121,3 cm

6,5 mm



**20** years  
GUARANTEE  
RESIDENTIAL  
USE

**10** years  
GUARANTEE  
COMMERCIAL  
USE



4 sided-bevel



STYLISH OAK  
Natural

**WHITE**  
35992003  
Skirting: 26646104



**BEIGE**  
35992002  
Skirting: 26646103



**NATURAL**  
35992000  
Skirting: 26646101



**GREY**  
35992001  
Skirting: 26646102



STYLISH OAK  
WHITE  
35992003

Scale 1:2



Scale 1:6

STYLISH OAK  
NATURAL  
35992000

Scale 1:2



Scale 1:6

STYLISH OAK  
BEIGE  
35992002

Scale 1:2



Scale 1:6

STYLISH OAK  
GREY  
35992001

Scale 1:2



Scale 1:6



# BOHEMIAN PINE

This vintage and original pine creates a smooth and light interior.



BOHEMIAN PINE  
White

**WHITE**  
35991010  
Skirting: 26646111



**GREGE**  
35991011  
Skirting: 26646112



**20** years  
GUARANTEE  
RESIDENTIAL  
USE

**10** years  
GUARANTEE  
COMMERCIAL  
USE



4 sided-bevel

Dimensions:  
17,6 x 121,3 cm  
6,5 mm

BOHEMIAN PINE  
WHITE  
35991010

Scale 1:2



Scale 1:6

BOHEMIAN PINE  
GREGE  
35991011

Scale 1:2



Scale 1:6

# TIMELESS CONCRETE

A new cozy concrete design, in classic tile dimensions, which comes in select warm colours and mixes perfectly well with wood and warm fabrics.



TIMELESS CONCRETE  
Light Grey

**LIGHT GREY**  
35993020  
Skirting: 26646121



**ANTHRACITE**  
35993021  
Skirting: 26646122



4 sided-bevel

Dimensions:  
30 x 60 cm

6,5 mm

TIMELESS CONCRETE  
LIGHT GREY  
35993020

Scale 1:2



Scale 1:6

TIMELESS CONCRETE  
ANTHRACITE  
35993021

Scale 1:2



Scale 1:6

# OLD STONE

This natural and traditional stone design offers an industrial and modern look to any interior.



OLD STONE  
Anthracite

20 years  
GUARANTEE  
RESIDENTIAL  
USE

10 years  
GUARANTEE  
COMMERCIAL  
USE



4 sided-bevel

ANTHRACITE  
35993023  
Skirting: 26646124




Dimensions:  
30 x 60 cm

6,5 mm

OLD STONE  
ANTHRACITE  
35993023

Scale 1:2



Scale 1:6



STARFLOOR CLICK ULTIMATE 55  
WEATHERED OAK - ANTHRACITE - 35992009

# TECHNICAL DATASHEET STARFLOOR CLICK ULTIMATE 55

CLASSIFICATION	NORM	TARKETT VALUE
Product type	EN ISO 10582	Heterogeneous poly(vinyl chloride) floor coverings
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	33 Heavy
TECHNICAL CHARACTERISTICS		
Total thickness	EN ISO 24346	6,50 mm
Wear layer thickness	EN ISO 24340	0,55 mm
Total weight	EN ISO 23997	11300 g/m <sup>2</sup>
Binder content	EN ISO 10582	Type I
Surface treatment	-	PUR Ultimate
Embossing in Register	-	Yes
Bevelled edges	-	4 sides micro bevels
Installation method	-	Click
PERFORMANCE FOR CE MARKING		
Declaration of Performance #	EN 14041	0132-0070-DoP-2018-12
TECHNICAL PERFORMANCE		
Dimensional stability average measured value	EN ISO 23999	≤ 0,15 %
Curl resultant to heat	EN ISO 23999	≤ 1  mm
Reaction to fire	EN 13501-1	Bfl-s1
Impact sound reduction - ΔLw	EN ISO 717-2	19 dB
Residual indentation	EN ISO 24343-1	≤ 0,05 mm
Furniture leg	EN ISO 16581	No damage
Castor chair	EN ISO 4918	No damage
Reduction of in-room impact noise	NF S31-074	Class C (≤ 85 dB)
Thermal resistance	EN ISO 10456	0,05 m <sup>2</sup> ·K/W
Colour fastness to light	EN ISO 105-B02	≥ 6
Chemical resistance	EN ISO 26987	Good resistance
Slip resistance	DIN 51130	R10 / R9
	EN 13893	Class DS (μ ≥ 0,30)
Peeling Resistance	EN ISO 24345	≥ 50N / 50mm
Static Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Underfloor heating	-	Suitable (maximum 27°C)
SUSTAINABILITY PERFORMANCES		
Total VOC Emissions	EN 16516	Gold (≤ 100 μg / m <sup>3</sup> )
Recyclability through ReStart®	-	Recyclable
Phthalate - free	-	Yes
MHS	-	Available
DIMENSIONS AND DESIGNS		
Plank	Plank 176 x 1213 mm - 6 planks=1,281 m <sup>2</sup> /box - 60 boxes/pallet	
Tile	Tile 300 x 600 mm - 7 tiles=1,26 m <sup>2</sup> /box - 60 boxes/pallet	
Number of designs available	21	

Embossing in register : Available for Highland Oak, Delicate Oak, Weathered Oak, Bleached Oak, Stylish Oak / Slip resistance R9 : Stylish Oak, Timeless Concrete, Old Stone

The above information is subject to modification for the benefit of further improvement (22/12/2021). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.



# ACCESSORIES FOR STARFLOOR CLICK ULTIMATE COLLECTIONS


## STAIRS (Starfloor Click Ultimate 30 only)

### HIGH TRAFFIC ALUMINIUM STAIRNOSE

- To be screwed
- Very resistant to wear & traffic
- Ribbed surface, slip-resistant
- Elegant finish

L2500 x W40 x H5 mm /10

- Silver 1434 021
- Stainless steel 1434 022



### ALUMINIUM SKIRTING BOTTOM

- To be glued
- Elegant finish

L2500 x H27 mm /10


- Silver 26626 021
- Stainless steel 26626 022

### VERY HIGH TRAFFIC

- Silver 1434 021
- Stainless steel 1434 022

## TRANSITION PROFILES

### VERY HIGH TRAFFIC ALUMINIUM TRANSITION PROFILE




- To be screwed
- Extremely resistant to very high traffic & rolling loads
- Ribbed surface, slip-resistant

L2700 mm /10

- Silver 1451 011
- Stainless Steel 1451 012

### ALUMINIUM TRANSITION STRIP FOR GENERAL TRAFFIC AREAS




- To be screwed
- Elegant finish with smooth surface and no visual screws
- Bendable - radius 60 cm

L2700 x W24 x H6 mm /10


- Silver 1451 021
- Stainless steel 1451 022

## PVC DECORATIVE SKIRTINGS



PVC semi-rigid skirting for decorative use

- White KS80-1411 257
- L2500 x H80 mm /20



Compact PVC skirting  
Perfectly matches all Starfloor Click Ultimate 30 designs

- Decorative film matching collection designs

- 35949 (Starfloor Click Ultimate 30): L2020 x H80 mm /5
- 26646 (Starfloor Click Ultimate 50): L1950 x H80 mm /5
- 26645 (Starfloor Click Ultimate 55): L1950 x H60 mm /5

Please refer to collection pages for corresponding SAP codes



DELICATE OAK - BROWN  
STARFLOOR CLICK SOLID 30 - 36026006  
STARFLOOR CLICK SOLID 55 - 36020006  
STARFLOOR CLICK ULTIMATE 55 - 35992025



■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett N.V. – Tel. +32 52 26 24 11 – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett BV – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics – Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. složka – Tel. +420 271 001 600 ■ Hungary: Tarkett Polska SP Z.O.O. magyarországi fióktelepe – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o. o. – Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett Polska, organizačná zložka – Tel. +421 2 48291 317 ■ South East Europe: Tarkett SEE – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 35 45 621 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett Flooring India Pvt. Ltd. – Bangalore – Tel. +91 80 4130 3793 – New Delhi – Tel. +91 11 4352 4073 – Mumbai – Tel. +91 22 2648 8750 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 3173 ■ **LATIN AMERICA:** Brazil: Tarkett Brazil – Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Mercosur - Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett Latam – Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ Mexico / Central America: Tarkett Mexico – Tel. +55 11 98410 9310

UK 280030131 / NL INT 2800030122 / PT INT 2800030124 / LITHUANIA INT 2800030125 / CZ INT 2800030126 / TEE 2800030129 / TME INT 2800030119 / TDM INT 2800030130 / CHINA INT 2800030120 / ASIA INT 2800030121 / EMEA INT 2800030117 / SAMPLING INT, DESIGN INT 2800030123

Due to evolution of standards, characteristics indicated in the text and images in this document are not binding only after confirmation by our departments.  
 Design: Agence Gecko / Photos: EVO - Getty images - Josiane / Print: Peprint

